| PART MARK | VIN | DESCRIPTION | FT. PER ROLL/TUBE | WT. | APPLICATION |
|---|---|---|---|---|---|
| H3301 | B | 1" x 3" x 23" Expanded Polystyrene (EPS) Thermal Block | N/A | 0.10 | Trapezoid Panel Tall & Super Tall Clips at Insulated Supports with Insulation >R13 and ≤R38 |
| H3303 | B | 1-1/2" x 3" x 23" Expanded Polystyrene (EPS) Thermal Block | N/A | 0.10 | Trapezoid Panel Tall Clips at Insulated Supports with R13 Blanket |
| H3305 | B | 1-1/2" x 3" x 23" Expanded Polystyrene (EPS) Thermal Block w/Adhesive | N/A | 0.10 | Trapezoid Panel Tall Clips at Un-Insulated Supports |
| H3307 | B | 2-1/2" x 3" x 23" Expanded Polystyrene (EPS) Thermal Block w/Adhesive | N/A | 0.15 | Trapezoid Panel Super Tall Clips at Un-Insulated Supports |
| H3310 | B | 1/2" x 2-1/2" Expanded Polystyrene (EPS) Foam Spacer | 50'-0" | 0.62 | Trapezoid Panel Roofs w/o Insulation |
| H3340 | A | 3/4" x 3" x 23" Blue Board Thermal Block | N/A | 0.17 | Used for R-Boost Roof System w/ Trapezoid Panel, R-Value 3.75 |
| H3345 | A | 1" x 3" x 23" Blue Board Thermal Block | N/A | 0.23 | Used for R-Boost Roof System w/ Trapezoid Panel, R-Value 5.00 |
| H4400 | B | 13/16" x 3" x 15" Expanded Polystyrene(EPS) Thermal Block | N/A | 0.04 | Vertical Rib Panels Tall Clips at Insulated Supports |

**Trapezoidal Panel Reference Chart**

| INSULATION | | BLOCK | | |
|---|---|---|---|---|
| R_ | THICK | MK # | THCK | CLIP |
| R7 | 2" | N/A | N/A | SHORT |
| R10 | 3 3/8" | N/A | N/A | SHORT |
| R11 | 3 3/4" | N/A | N/A | SHORT |
| R13 | 4 3/8" | N/A | N/A | SHORT |
| R13 | 4 3/8" | H3303 | 1 1/2" | TALL (SS360/SSII) |
| R13 | 4 3/8" | H3301 | 1" | TALL (CFR) |
| R16 | 5 1/4" | H3301 | 1" | TALL |
| R19 | 6 3/8" | H3301 | 1" | TALL |
| R25 | 8" | H3301 | 1" | TALL |
| R30 | 9 1/4" | H3301 | 1" | SUPER TALL |
| R32 | 10" | H3301 | 1" | SUPER TALL |
| R35 | 11 1/2" | H3301 | 1" | SUPER TALL |
| R38 | 12" | H3301 | 1" | SUPER TALL |

**NOTES:**
EPS R-Value = 4.35 / in.
Blue Board R-Value = 5 / in.