NUCOR BUILDINGS GROUP

95C-_

9 1/2" CEE

MASTER PART MARK	VIN	AVAILABLE THICKNESS	YIELD MIN.	BLANK LENGTH	BLANK WIDTH	WEIGHT
95C-_	B	0.060, 0.067, 0.075, 0.089, 0.099, 0.105, 0.120	55 KSI	VARIES	16.75	VARIES





NOTES:

1) ALL NBG THICKNESSES SHOWN, INVENTORIED DIVISION THICKNESSES VARY, CONFIRM HERE.
2) FOR ADDITION INFORMATION SEE THE "PURLINS / GIRTS" DPM MANUAL.

PUNCHING NOTES

CODE "W", WEB 9/16" X 1" SLOTS
CODE "F", FLANGE 9/16" X 1" SLOTS
CODE "J", PURLIN BRACING SLOTS 3/16" X 2 1/4"
CODE "S", SOLAR SLOT 3/8" X 3 1/2"
(available at NBGSC and CBCCA only)

TOLERANCES

DEPTH ± 3/16"
FLANGE ± 3/16"
LIP + 3/8" - 1/8"
LIP ANGLE ± 5°
FLANGE TO WEB ANGLE ± 3°
INSIDE RADII 1/4" (+ 1/8" - 1/16")